Approximate homogeneity of C^*-algebras with finitely many ideals

Søren Eilers

July 1998

Reference list

References

[1] C.F. Bödigheimer, *Splitting the Künneth sequence in K-theory*, Math. Ann. **242** (1979), 159–171.

[2] ______, *Splitting the Künneth sequence in K-theory, II*, Math. Ann. **251** (1980), 249–252.

[3] L.G. Brown and G.K. Pedersen, *C^*-algebras of real rank zero*, J. Funct. Anal. **99** (1991), 131–149.

[4] M. Dădărlat and S. Eilers, *Approximate homogeneity is not a local property*, J. Reine Angew. Math. **507** (1999), 1–13.

[5] M. Dădărlat and S. Eilers, *Compressing coefficients while preserving ideals in the K-theory for C^*-algebras*, K-theory **14** (1998), 281–304.

[6] M. Dădărlat and G. Gong, *A classification result for approximately homogeneous C^*-algebras of real rank zero*, Geom. Funct. Anal. **7** (1997), no. 4, 646–711.

[7] S. Eilers, *Invariants for AD algebras*, Ph.D. thesis, Copenhagen University, November 1995.

[8] S. Eilers, *Künneth splittings and classification of C^*-algebras with finitely many ideals*, Operator algebras and their applications (Waterloo, ON, 1994/1995), Fields Inst. Commun., vol. 13, Amer. Math. Soc., Providence, RI, 1997, pp. 81–90.

[9] G.A. Elliott and G. Gong, *On the classification of C^*-algebras of real rank zero, II*, Ann. of Math. **144** (1996), 497–610.

[10] G.A. Elliott, G. Gong, and H. Su, *On the classification of C^*-algebras of real rank zero. IV. Reduction to local spectrum of dimension two*, Operator algebras and their applications, II (Waterloo, ON, 1994/1995), Amer. Math. Soc., Providence, RI, 1998, pp. 73–95.

[11] L. Fuchs, *Infinite abelian groups I*, Academic Press, New York, San Francisco, London, 1970.

[12] G. Gong, *Classification of C^*-algebras of real rank zero and unsuspended E-equivalence types*, J. Funct. Anal. **152** (1998), no. 2, 281–329.

[13] H. Lin, *Classification of simple C^*-algebras with unique traces*, Amer. J. Math. **120** (1998), no. 6, 1289–1315.

[14] M. Rørdam, *Classification of extensions of certain C^*-algebras by their six term exact sequences in K-theory*, Math. Ann. **308** (1997), no. 1, 93–117.

[15] C. Schochet, *Topological methods for C^*-algebras IV: Mod p homology*, Pacific J. Math. **114** (1984), 447–468.