A Complete Invariant for AD Algebras with Real Rank Zero and Bounded Torsion in K_1

Søren Eilers

November 1994

Reference list

References

[1] M. Dădărlat, *Approximately unitarily equivalent morphisms and inductive limit C^*-algebras*, K-Theory **9** (1995), no. 2, 117–137.

[2] M. Dădărlat and T.A. Loring, *Classifying C^*-algebras via ordered, mod-p K-theory*, Math. Ann. **305** (1996), no. 4, 601–616.

[3] M. Dădărlat and T.A. Loring, *A universal multicoefficient theorem for the Kasparov groups*, Duke Math. J. **84** (1996), no. 2, 355–377.

[4] G.A. Elliott, *On the classification of C^*-algebras of real rank zero*, J. reine angew. Math. **443** (1993), 179–219.

[5] G. Gong, *Classification of C^*-algebras of real rank zero and unsuspended E-equivalence types*, J. Funct. Anal. **152** (1998), no. 2, 281–329.

[6] T.A. Loring, *C^*-algebras generated by stable relations*, J. Funct. Anal. **112** (1993), no. 1, 159–203.

[7] ______, *Stable relations II: Corona semiprojectivity and dimension-drop C^*-algebras*, Pacific J. Math. **172** (1996), 461–475.

[8] J. Rosenberg and C. Schochet, *The Künneth theorem and the universal coefficient theorem for Kasparov's generalized K-functor*, Duke Math. J. **55** (1987), 431–474.